

Mechanical Joint Integrity

- **Electric Torque Wrenches**
- **Shear Wrenches**
- **Digital Torque Wrenches**

















□Company Overview :-

products to ensure we meet our customer's immediate needs.

Having started in 2014, BOLTORQ has grown into a force to reckon with in the multiple industries. We are Leading Manufacturing & Marketing of Bolt Tightening Equipment. We are offering Complete Bolted Joint Solution with our innovative products for projects and shutdowns to clients in multiple sectors.

It has managed to grow from strength to strength and has earned a reputation for itself by offering quality solutions not just nationally but also to many developing countries globally.BOLTORQ's large proportion of products are exported worldwide and being sold to many major industries including oil refining, chemical and petro-chemical production, power generation, desalination, sugar refining, ship maintenance and many more. We carry extensive stocks of our standard

At BOLTORQ, the pillars upon which its strength rests are, Quality, Commitment to Excellence, Constant Innovation, and Environment Conducive to Growth. Today, we bring the Accuracy, Perfection, Innovation and to a higher level with

our enhanced product portfolio.

□<u>Vision :-</u>

- To become fastest growing firm with the emphasis on customer satisfaction, sustainable growth and solid management.
- **❖** To attain growth with unique attributes, characterized by quality products and services, excellence in practices, and values that nurture human potential.

Mission:-

- Our mission is to improve the efficiency of your company by providing high quality products and services.
- Pro actively provide excellence services in a timely, caring, and respectful manner.
- Demonstrate standard and leadership through innovative and effective solutions to ensure a high performance workforce.

☐ ISO Certificate's :-





Single Speed Electric Torque Wrench



Input: 220-240V AC, 50/60Hz;

Preset torque and automatic shut

off when

reaching the set torque;

High output and repeat accuracy:

±5% and ±3%;

Digital torque control system with

LCD display;

Free connection of power handle


and drive unit;

Portable and durable design, low

noise with overload

protection.





Art no.	Torque Range	Square	L	D	Non- load Speed	Weight
	(Nm)	С	(mm)	(mm)	(rpm)	(Kg)
BTES-04	80-450	3/4"	395	76	21	5.4
BTES-08	100-850	3/4"	395	76	12	5.4
BTES-12	200-1200	1"	400	76	9	5.5

^{*}Above weight does not include reaction arm.





❖ REGISTERED OFFICE: 26, ROYAL ENCLAVE, NRI BUNGLOWS,

OPP. KRISHNA SCHOOL,

PUSHPA COLONY, KHODIYAR COLONY,

JAMNAGAR – 361006, GUJARAT, INDIA

CONTACT NO. :- +919892703895

E-Mail

<u>Web</u>

:- rkpathak@boltorq.com / info@boltorq.com

:- www.boltorq.com